


**HiFuture**




**Radge**


TWS Earbuds

Quick Start Guide


## Unboxing




Earbuds



Charging Case



Silicone Ear-tips





TYPE C charging cable

Please refrain from using any damaged components.  
Contact your local authorised HiFuture distributor/customer service.

-1-

## Device Overview

1. Tap area
2. Indicator (red)
3. Status LED (Ice-Blue)
4. Charging interface
5. Charging port



## Charging

Please fully charge the Hifuture Radge after unboxing.  
Use Type-C cable to charge the charging case.

## Charging Indicator Status

### **Charging Case Indicator lights ON (By TYPE C charging)**

Charging by Type C: Charging Case indicator flashes Ice Blue  
1 time / 2 seconds

Fully Charged by Type C: Charging Case indicator always ON White

### **Charging Case Indicator lights ON (Without Type C Charging)**

Ice Blue indicator lights ON while charging the earbuds  
(automatically lights off after 5 Seconds)

Charging case Battery Low: Ice Blue indicator Blinking

Indicator lights OFF while charging case runs out of energy

### **Earbuds Indicator**

Charging: Earbuds' indicator lights ON RED

Fully Charged: Earbuds' RED indicators light OFF


Battery Low: Red indicator flashes 1 time / 5 seconds

## AUTO ON & PAIRING & AUTO OFF

A: Ensure both buds are inside the charging case and take out both buds. The buds' indicator will flash for a while, which means earbuds were Power On.



B: Tap "HiFuture Radge" from the smartphone's Bluetooth menu. There's a voice prompt "Your Device is Connected" after succeed connection with smartphone.



C: Both buds will be AUTO OFF after into case around 5 seconds or disconnected with smartphone over 5 minutes.


## Manual ON/OFF

Long Tap L or R earbud for 5 seconds until indicator flashes 3 times and Power OFF.

Quick Tap L&R 1~2 times until indicators light up to Power ON.

## Manual Pairing

After Manual ON, Double Tap L/R buds (not recommend)




## RESET



Make sure the Radge was disconnected with phone or other Bluetooth devices.



Put both buds into charging case for 5 seconds to Power Off



Remove “HiFuture Radge” from your device’s Bluetooth list.



Take out both buds from Charging case and **DOUBLE TAP** the **Tap area** for Manual pairing.




## Voice Prompt

- 1.Power ON
- 2.Pairing
- 3.Your device is connected
- 4.Your devices is disconnected
5. Gaming Mode ON
6. Gaming Mode OFF
- 7.Battery Low
- 8.Power OFF
- 9.Min.&Max.Volume Alarm
- 10.Reject or End Call Alarm
- \*Available for some Android phones,  
not support IOS phones.
- 11.Reset Succeed Alarm



## MFB Instructions



\*Not all device support this functionality\*



Double Tap L Earbuds



Double Tap R Earbuds



Long Tap L or R earbuds for 2 seconds



Short Tap the L or R earbuds



Tap 3 times on the L earbud to Enter Siri or Google Assistance



Tap R Earbuds for 2 seconds



Tap L Earbuds for 2 seconds



Short Tap L or R Earbuds



Tap 3 times On R earbud



Tap again 3 times On R earbud



Long tap L or R earbud for 5 seconds



Refer to page 6

## Follow us



HiFuture



Facebook



Instagram



YouTube

## Limited Warranty

Note: Disassembling device voids warranty

Note: Liquid submersion voids warranty

SHENZHEN FUTURE ACCESS TECHNOLOGY CO., LTD. Explore more at [www.hifuturegroup.com](http://www.hifuturegroup.com) © All Rights Reserved